

#### GCSE

3300U30-1



### TUESDAY, 23 MAY 2023 - MORNING

## MATHEMATICS UNIT 1: NON-CALCULATOR INTERMEDIATE TIER

1 hour 45 minutes

#### ADDITIONAL MATERIALS

The use of a calculator is not permitted in this examination. A ruler, protractor and a pair of compasses may be required.

#### INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer all the questions in the spaces provided.

If you run out of space, use the additional page at the back of the booklet. Question numbers must be given for all work written on the additional page.

Take  $\pi$  as 3·14.

#### INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.


In question 8, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.




Question	Maximum Mark	Mark Awarded
1.	3	
2.	2	
3.	5	
4.	2	
5.	3	
6.	3	
7.	3	
8.	7	
9.	6	
10.	4	
11.	4	
12.	4	
13.	6	
14.	4	111
15.	5	
16.	3	
17.	5	
18.	3	
19.	4	
20.	4	
Total	80	

#### Formula List - Intermediate Tier

Area of trapezium =  $\frac{1}{2}(a+b)h$ 



Volume of prism = area of cross-section × length



% = onx ot 100

Write  $\frac{2}{5}$ , 9% and 0.3 in ascending order.

You must show all your working.

[3]

0.30 9%: 0.09

9% Smallest value

The area of a rectangle is 80 cm<sup>2</sup>.

Area =  $80 \, \text{cm}^2$ 

Diagram not drawn to scale

The length of the rectangle is 5 times its width.

Calculate the length and width of the rectangle.

[2]

Ocme could be Swidth 10cm length

5 goes into 80 16 times - doesn4 help



Length = 20 cm Width = 4 cm

Examine

(a) Solve the following equations.

(i) 
$$\frac{x}{3} = 8$$

[1]

(ii) 
$$3x-10=17$$

[2]

$$x = 9$$

$$3x = 27$$
  $x = 9$ 

(b) Simplify 6f-4g+2f-9g.

[2]

8f + 13g

e	٠.	
٠	73.	
-	Э.	
3	=	
3	o.	
×	Э.	
٠	n	

(a) Whi	le the corre	ect answer.	rest in mass to 5 k	a.		[1]
	7lb	11 lb	15 lb	19 lb	23 lb	Beerro
(b) Whi	ich of the fo	ollowing is nea ect answer.	rest in volume to 1	00 litres?		[1]
00 pints	1	25 pints	(150 pints)	175 pints	200 pints	ocnova:
Samir is 7 Nigel is tw Vrite dow		nger than Rhia as Samir. ssion, in terms N 6	an. $s$ of $n$ , for Nigel's a	је.		[3]
Samir is 7 Nigel is tw Vrite dow	years your rice as old a n an expres	ssion, in terms		je.		[3]
Samir is 7 Nigel is tw	years your rice as old a n an expres	ssion, in terms				[3]
Samir is 7 Nigel is tw Vrite dow	years your rice as old a n an expres	ssion, in terms	of n, for Nigel's a			[3]
Samir is 7 ligel is tw Vrite dow	years your rice as old a n an expres	ssion, in terms	of n, for Nigel's a			[3]
Samir is 7 Nigel is tw Vrite dow	years your rice as old a n an expres	ssion, in terms	of n, for Nigel's a			[3]



- The mean of four numbers is 7.
  - (a) What is the total of the four numbers?

[1]

- (b) Find a set of four numbers such that:
  - their mean is 7
  - their range is 6.

Write your four numbers in the boxes below.

[2]

mean is 7 50 4 numbers have to = 28

range is 6 so # 4 smaller, similar numbers





7.






Diagram not drawn to scale


Find the size of each of the angles a, b and c.

[3]


$$a = 63$$
 •  $b = 117$  •  $c = 117$  •

In this question, you will be assessed on the quality of your organisation, communication and accuracy in writing.

Two fair spinners are shown below.



Spinner A



Spinner B

In a game, the numbers shown by the two pointers are added together. In the diagram, the score gained would be 2 + 3 = 5.

A winning score is 6 or more.

How many winning scores would you expect when the game is played 60 times? You must show all your working.

[5 + 2 OCW]

W= Wir

3+3=6" 3+4=7" 2+4=6"

3 winning outcomes

7 numbers to potentially land on

60 games = 420 potential outcomes

6×7=420 181 in 7 6 chance of winning 60×7=420 420-7=60 1 outcome per game

60 x 3 > 180 60 ourcomes, 18 Wis

189 Winning scores would be expected.

(a) Express	18 as a percentage of 400.	[2]
100 = 5	<b>10</b> 148%	
200 -	\$5\$\$ 24% ¥\$	<b>Y</b>
400 : 4	\$ 12'/-	1 _ ~
		· (12 %)
(b) Share £4	5 in the ratio 8 : 1.	/ [2]
0 45	<u> </u>	
145	8: 1 = xx - xx1	
***************************************		
	<i>A</i> -	
	£ 1640 and £ 5	
(c) Express	$1 - \frac{1}{2^3}$ as a single fraction in the form $\frac{a}{b}$ , where	a and b are integers. [2]
	2° b	
	<u> </u>	
1-16	= 3/6	
	5_	
	Answer =6	

INPUT

Decrease the number by

\[ \frac{1}{4} \text{ of its value.} \]

OUTPUT

For a given INPUT number, there will be an OUTPUT number. The OUTPUT is then put back in the number machine as the next INPUT. This process is then repeated many times.

The first INPUT number is 512.

What will be the first OUTPUT number that is less than 300?

[4]


Input	Out put
512 ÷ 4 = 128 5h	384
384	5 —
4 1513	<b>7</b>

384 - 4 = 91 3'84 293

First OUTPUT number that is less than 300 = 293

11. (a) Rotate the shape shown below by 90° anticlockwise about the origin.

Examiner only






Examiner only

(b) (i) Translate the shape shown below using the column vector  $\begin{pmatrix} -1 \\ 7 \end{pmatrix}$ .

[1]



(ii) Write down the column vector that will reverse the translation in part (i).

(-7)

[1]

(a)	Express 675 as a product of its prime	factors in index for	m.		[3]
		<b>5</b> 5	2.23	13 93	
	675	3			
	/	702	13.6	3 223	
(********	223 × 3	20,8	2		
	7	111223	7764		
		13/22/3		*******************************	
			(*)()(((((((()))))))))		
				***************************************	
	3,223				
(b)	360 expressed as a product of its prim	ne factors in index f			
(b)		ne factors in index f	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.	
(b)	360 expressed as a product of its prim What is the smallest whole number the	ne factors in index f	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]
(b)	360 expressed as a product of its prim What is the smallest whole number the number?	ne factors in index f at 360 can be multi	orm is 2 <sup>3</sup>	$\times$ 3 <sup>2</sup> $\times$ 5.  To give a square	[1]



E	×	a	п	ni	n	e
		o	n	h	í	

- Simplify each of the following. 13. (a) Circle your answer in each case.
  - (i)  $m^4 \times m^3 =$

[1]



 $m^{12}$ 

 $m^{43}$ 

7m

12m

[1]

 $m^{75}$ 



(b) Write down an expression for the nth term of the following sequence.

[2]

4,

11,

18.

25,

32

11+7=18 18+7=25 25+7=32

(c) List all of the integers that satisfy the following inequality.

[2]

13 < 2n < 19

Integers are 15, 17

Examiner only


14. (a) Line AB is shown below.

Using only a ruler and a pair of compasses, construct an angle of 60° at point B.


[1]

60° B

(b) R is a point on the line LM.
Using only a ruler and a pair of compasses, construct an angle of 90° at point R. [1]



(c) Using only a ruler and a pair of compasses, construct a perpendicular line from the point P to the line XY.



	10	
•	The shape below consists of a semicircle attached to one side of a right-angled triangle. $\overrightarrow{ABC} = 90^{\circ}$ , $AB = 8$ cm, $BC = 6$ cm.	Exa
	BC is the diameter of the semicircle.	
	C C	
	6 cm	
	A 8 cm B	
	Diagram not drawn to scale	
	Calculate the perimeter of the shape. Use $\pi = 3.14$ .	
	You must show all your working.	[5]
	ρ	station;
	Perimeter or Triangle = 8+8+6=22	
	<del>652</del> ·	
	() = 10 cm H	
	perimeter = 500m	
	•	
		ontstore.
		((***)****



			est 10 mini		urs 50 minutes		
What is the lea	ast possible sum wer in hours and	of these to d minutes.	wo time pe	riods?		[3]	
							55
					*************		<u> </u>
							*
							ň
							e
***************************************							á
							ŧ .
		*****************					
					331166533 0016000003 006664 155-55	***************************************	
			00kmmmmmmm				*
	Answer =	2	hours	20	minutes		
		2		20	minutes		
		2		20	minutes		
		2		20	minutes		
		2		20	minutes		
		2		20	minutes		
		2		20	minutes		



17. Whitney walks, cycles or travels on the bus to work each day.

On any randomly chosen day:


- . the probability that she walks to work is 0.25
- the probability that she cycles to work is 0.45.

At work, the probability that there will be a fire drill on any randomly chosen day is 0.04.

How Whitney travels to work is independent of whether or not there is a fire drill.

(a) Complete the tree diagram shown below.

[3]



(b)	On a randomly chosen day, what is the probability that Whitney wall	ks to work and there
	is a fire drill?	[2]

0.29

18. In the following formulae, each measurement of length is represented by a letter.

Consider the dimensions implied by each formula.

For each case, write down whether the formula could be for a length, an area, a volume or none of these.

The first one has been done for you.

[3]

<u>Formula</u>	Formula could be for
4d+r-2w	length
w(l+b+h)	area
$d^3 + 3 \cdot 14r$	Volume
$\frac{w^3}{d^2}$	length
$3 \cdot 14r^3 - lbh$	volume
$\frac{4w^2}{d}$	Length

. (ε	a) Express 0·0076 in り.の76%	standard form.		[1]
		e of $(3 \times 10^{17}) \times (2 \times 10^{17})$ in standard form.	10 <sup>-12</sup> ).	[1]
(0	c) Calculate the value Give your answer	e of (2·3 × 10 <sup>4</sup> ) + (5 × in standard form.	· 10 <sup>3</sup> ).	[2]



only

Examiner 20. XY is a tangent to a circle, centre O, at the point A. AŶO = 54°. 54° Α Diagram not drawn to scale What percentage of the whole circle is shaded? [3] You must show how you calculated your answer. Split the circle into relative pieces (b) What tangent property of circles did you use in order to answer part (a)? [1] END OF PAPER



stion ber	Additional page, if required. Write the question number(s) in the left-hand margin.	Exa
	***************************************	
	***************************************	
		.00000000000000000000000000000000000000
-		
		- 1
- 1		********
Ì		10000000
		**************************************
		commi
- 1		



# BLANK PAGE PLEASE DO NOT WRITE ON THIS PAGE



## **BLANK PAGE**

# PLEASE DO NOT WRITE ON THIS PAGE

